

	OSRAM: HALOSPOT 111 PHILIPS: ALULINE 111	PAR 30	OSRAM: HCI-PAR 30 PHILIPS: CDM-R 30	T600 (RECESSED DOWNLIGHTS)				
	OSRAM: HCI-T PHILIPS: CDM-T	OSRAM: HCI-R 111 PHILIPS: CDM-R 111	<ul style="list-style-type: none"> • Steel body. • Reflector optic made of pure aluminium with faceted structure- Spot: glossy or Flood: matt, for luminaires using HIT-CE. • Transparent protection glass for luminaires using HIT-CE. 					
PRICE LIST							Without Control Gear	
CODE	DESCRIPTION			Hole	L x W	H	COLOUR	
86010	T600	1x max. 100W	QR111 / G53	142x142	168x170	85	White, Titan, Black	+ Transformer 12V Selection
86011	T601	1x max. 100W	PAR30 / E27	142x142	168x170	120	White, Titan, Black	
86012	T602	1x max. 70W	HI-PAR30 / E27	142x142	168x170	150	White, Titan, Black	+ Control Gear Selection HIT
86013	T603 FL	1x max. 150W	HIT-CE / G12	162x158	190x186	150	White, Titan, Black	+ Control Gear Selection HIT
86014	T604 SP	1x max. 150W	HIT-CE / G12	162x158	190x186	150	White, Titan, Black	+ Control Gear Selection HIT
86015	T605	1x max. 70W	HI-PAR111 / GX8.5	142x142	168x170	120	White, Titan, Black	+ Control Gear Selection HIT
86010	T600	1x max. 100W	QR111 / G53	142x142	168x170	85	Chrome, matt Alum., Gold	+ Transformer 12V Selection
86011	T601	1x max. 100W	PAR30 / E27	142x142	168x170	120	Chrome, matt Alum., Gold	
86012	T602	1x max. 70W	HI-PAR30 / E27	142x142	168x170	150	Chrome, matt Alum., Gold	+ Control Gear Selection HIT
86013	T603 FL	1x max. 150W	HIT-CE / G12	162x158	190x186	150	Chrome, matt Alum., Gold	+ Control Gear Selection HIT
86014	T604 SP	1x max. 150W	HIT-CE / G12	162x158	190x186	150	Chrome, matt Alum., Gold	+ Control Gear Selection HIT
86015	T605	1x max. 70W	HI-PAR111 / GX8.5	142x142	168x170	120	Chrome, matt Alum., Gold	+ Control Gear Selection HIT

	OSRAM: HALOSPOT 111 PHILIPS: ALULINE 111	PAR 30	OSRAM: HCI-PAR 30 PHILIPS: CDM-R 30	T610 (RECESSED DOWNLIGHTS)				
	OSRAM: HCI-T PHILIPS: CDM-T	OSRAM: HCI-R 111 PHILIPS: CDM-R 111	<ul style="list-style-type: none"> • Steel body. • Reflector optic made of pure aluminium with faceted structure- Spot: glossy or Flood: matt, for luminaires using HIT-CE. • Transparent protection glass for luminaires using HIT-CE. 					
PRICE LIST							Without Control Gear	
CODE	DESCRIPTION			Hole	L x W	H	COLOUR	
86017	T610	2x max. 100W	QR111 / G53	277x140	305x168	85	White, Titan, Black	+ Transformer 12V Selection
86018	T611	2x max. 100W	PAR30 / E27	277x140	305x168	120	White, Titan, Black	
86019	T612	2x max. 70W	HI-PAR30 / E27	277x140	305x168	150	White, Titan, Black	+ Control Gear Selection HIT
86020	T613 FL	2x max. 150W	HIT-CE / G12	312x158	340x186	150	White, Titan, Black	+ Control Gear Selection HIT
86021	T614 SP	2x max. 150W	HIT-CE / G12	312x158	340x186	150	White, Titan, Black	+ Control Gear Selection HIT
86022	T615	2x max. 70W	HI-PAR111 / GX8.5	277x140	305x168	120	White, Titan, Black	+ Control Gear Selection HIT
86023	T616	1x max. 100W	QR111+1x max. 70W HI-PAR30	277x140	305x168	150	White, Titan, Black	+ Control Gear Selection + Transf. 12V
86024	T617	1x max. 100W	QR111+1x max. 150W HIT-CE	312x158	340x186	150	White, Titan, Black	+ Control Gear Selection + Transf. 12V
86017	T610	2x max. 100W	QR111 / G53	277x140	305x168	85	Chrome, matt Alum., Gold	+ Transformer 12V Selection
86018	T611	2x max. 100W	PAR30 / E27	277x140	305x168	120	Chrome, matt Alum., Gold	
86019	T612	2x max. 70W	HI-PAR30 / E27	277x140	305x168	150	Chrome, matt Alum., Gold	+ Control Gear Selection HIT
86020	T613 FL	2x max. 150W	HIT-CE / G12	312x158	340x186	150	Chrome, matt Alum., Gold	+ Control Gear Selection HIT
86021	T614 SP	2x max. 150W	HIT-CE / G12	312x158	340x186	150	Chrome, matt Alum., Gold	+ Control Gear Selection HIT
86022	T615	2x max. 70W	HI-PAR111 / GX8.5	277x140	305x168	120	Chrome, matt Alum., Gold	+ Control Gear Selection HIT
86023	T616	1x max. 100W	QR111+1x max. 70W HI-PAR30	277x140	305x168	150	Chrome, matt Alum., Gold	+ Control Gear Selection + Transf. 12V
86024	T617	1x max. 100W	QR111+1x max. 150W HIT-CE	312x158	340x186	150	Chrome, matt Alum., Gold	+ Control Gear Selection + Transf. 12V

Colour Codes:

1 White 2 Titan 3 Black 4 Chrome 5 matt Alum. 6 Gold 7 matt Gold 8 Bronze 9 Anodized



OSRAM: HALOSPOT 111 PHILIPS: ALULINE 111	PAR 30	OSRAM: HCI-PAR 30 PHILIPS: CDM-R 30
OSRAM: HCI-T PHILIPS: CDM-T	OSRAM: HCI-R 111 PHILIPS: CDM-R 111	

- Steel body.
- Reflector optic made of pure aluminium with faceted structure-
Spot: glossy or Flood: matt, for luminaires using HIT-CE.
- Transparent protection glass for luminaires using HIT-CE.

T620
(RECESSED DOWNLIGHTS)



PRICE LIST

CODE	DESCRIPTION	Hole	L x W	H	COLOUR	Without Control Gear	
86033	T620 3x max. 100W QR111 / G53	407x140	435x168	85	White, Titan, Black		+ Transformer 12V Selection
86034	T621 3x max. 100W PAR30 / E27	407x140	435x168	120	White, Titan, Black		
86035	T622 3x max. 70W HI-PAR30 / E27	407x140	435x168	150	White, Titan, Black		+ Control Gear Selection HIT
86036	T623 FL 3x max. 150W HIT-CE / G12	462x158	490x186	150	White, Titan, Black		+ Control Gear Selection HIT
86037	T624 SP 3x max. 150W HIT-CE / G12	462x158	490x186	150	White, Titan, Black		+ Control Gear Selection HIT
86038	T625 3x max. 70W HI-PAR111 / GX8.5	407x140	435x168	120	White, Titan, Black		+ Control Gear Selection HIT
86039	T626 2x max. 100W QR111+1x max. 70W HI-PAR30	407x140	435x168	150	White, Titan, Black		+ Control Gear Selection + Transf. 12V
86040	T627 1x max. 100W QR111+2x max. 70W HI-PAR30	407x140	435x168	150	White, Titan, Black		+ Control Gear Selection + Transf. 12V
86041	T628 2x max. 100W QR111+1x max. 150W HIT-CE	462x158	490x186	150	White, Titan, Black		+ Control Gear Selection + Transf. 12V
86042	T629 1x max. 100W QR111+2x max. 150W HIT-CE	462x158	490x186	150	White, Titan, Black		+ Control Gear Selection + Transf. 12V
86033	T620 3x max. 100W QR111 / G53	407x140	435x168	85	Chrome, matt Alum., Gold		+ Transformer 12V Selection
86034	T621 3x max. 100W PAR30 / E27	407x140	435x168	120	Chrome, matt Alum., Gold		
86035	T622 3x max. 70W HI-PAR30 / E27	407x140	435x168	150	Chrome, matt Alum., Gold		+ Control Gear Selection HIT
86036	T623 FL 3x max. 150W HIT-CE / G12	462x158	490x186	150	Chrome, matt Alum., Gold		+ Control Gear Selection HIT
86037	T624 SP 3x max. 150W HIT-CE / G12	462x158	490x186	150	Chrome, matt Alum., Gold		+ Control Gear Selection HIT
86038	T625 3x max. 70W HI-PAR111 / GX8.5	407x140	435x168	120	Chrome, matt Alum., Gold		+ Control Gear Selection HIT
86039	T626 2x max. 100W QR111+1x max. 70W HI-PAR30	407x140	435x168	150	Chrome, matt Alum., Gold		+ Control Gear Selection + Transf. 12V
86040	T627 1x max. 100W QR111+2x max. 70W HI-PAR30	407x140	435x168	150	Chrome, matt Alum., Gold		+ Control Gear Selection + Transf. 12V
86041	T628 2x max. 100W QR111+1x max. 150W HIT-CE	462x158	490x186	150	Chrome, matt Alum., Gold		+ Control Gear Selection + Transf. 12V
86042	T629 1x max. 100W QR111+2x max. 150W HIT-CE	462x158	490x186	150	Chrome, matt Alum., Gold		+ Control Gear Selection + Transf. 12V



Colour Codes:

- 1 White 2 Titan 3 Black 4 Chrome 5 matt Alum. 6 Gold 7 matt Gold 8 Bronze 9 Anodized

		OSRAM: HALOSPOT 111 PHILIPS: ALULINE 111	PAR 30	OSRAM: HCI-PAR 30 PHILIPS: CDM-R 30	T630 (RECESSED DOWNLIGHTS)	
		OSRAM: HCI-T PHILIPS: CDM-T	OSRAM: HCI-R 111 PHILIPS: CDM-R 111			
<ul style="list-style-type: none"> • Steel body. • Reflector optic made of pure aluminium with faceted structure- Spot: glossy or Flood: matt, for luminaires using HIT-CE. • Transparent protection glass for luminaires using HIT-CE. 						
PRICE LIST						
CODE	DESCRIPTION	Hole	L x W	H	COLOUR	Without Control Gear
86059	T630 4x max. 100W QR111 / G53	277x272	300x305	85	White, Titan, Black	+ Transformer 12V Selection
86060	T631 4x max. 100W PAR30 / E27	277x272	300x305	120	White, Titan, Black	
86061	T632 4x max. 70W HI-PAR30 / E27	277x272	300x305	150	White, Titan, Black	+ Control Gear Selection HIT
86062	T633 FL 4x max. 150W HIT-CE / G12	312x306	340x334	150	White, Titan, Black	+ Control Gear Selection HIT
86063	T634 SP 4x max. 150W HIT-CE / G12	312x306	340x334	150	White, Titan, Black	+ Control Gear Selection HIT
86064	T635 4x max. 70W HI-PAR111 / GX8.5	277x272	300x305	120	White, Titan, Black	+ Control Gear Selection HIT
86065	T636 2x max. 100W QR111+2x max. 70W HI-PAR30	277x272	300x305	150	White, Titan, Black	+ Control Gear Selection + Transf. 12V
86066	T637 2x max. 100W QR111+2x max. 150W HIT-CE	312x306	340x334	150	White, Titan, Black	+ Control Gear Selection + Transf. 12V
86059	T630 4x max. 100W QR111 / G53	277x272	300x305	85	Chrome, matt Alum., Gold	+ Transformer 12V Selection
86060	T631 4x max. 100W PAR30 / E27	277x272	300x305	120	Chrome, matt Alum., Gold	
86061	T632 4x max. 70W HI-PAR30 / E27	277x272	300x305	150	Chrome, matt Alum., Gold	+ Control Gear Selection HIT
86062	T633 FL 4x max. 150W HIT-CE / G12	312x306	340x334	150	Chrome, matt Alum., Gold	+ Control Gear Selection HIT
86063	T634 SP 4x max. 150W HIT-CE / G12	312x306	340x334	150	Chrome, matt Alum., Gold	+ Control Gear Selection HIT
86064	T635 4x max. 70W HI-PAR111 / GX8.5	277x272	300x305	120	Chrome, matt Alum., Gold	+ Control Gear Selection HIT
86065	T636 2x max. 100W QR111+2x max. 70W HI-PAR30	277x272	300x305	150	Chrome, matt Alum., Gold	+ Control Gear Selection + Transf. 12V
86066	T637 2x max. 100W QR111+2x max. 150W HIT-CE	312x306	340x334	150	Chrome, matt Alum., Gold	+ Control Gear Selection + Transf. 12V



Colour Codes:

- 1 White
 2 Titan
 3 Black
 4 Chrome
 5 matt Alum.
 6 Gold
 7 matt Gold
 8 Bronze
 9 Anodized



OSRAM: HALOSPOT 111
PHILIPS: ALULINE 111



PAR 30



OSRAM: HCI-PAR 30
PHILIPS: CDM-R 30



OSRAM: HCI-T
PHILIPS: CDM-T



OSRAM: HCI-R 111
PHILIPS: CDM-R 111

- Steel body.
- Reflector optic made of pure aluminium with faceted structure-
Spot: glossy or Flood: matt, for luminaires using HIT-CE.
- Transparent protection glass for luminaires using HIT-CE.

T650
(RECESSED DOWNLIGHTS)



PRICE LIST

CODE	DESCRIPTION	Hole	L x W	H	COLOUR	Without Control Gear	
86089	T650 4x max. 100W QR111 / G53	534x140	564x168	85	White, Titan, Black		+ Transformer 12V Selection
86090	T651 4x max. 100W PAR30 / E27	534x140	564x168	120	White, Titan, Black		
86091	T652 4x max. 70W HI-PAR30 / E27	534x140	564x168	150	White, Titan, Black		+ Control Gear Selection HIT
86092	T653 FL 4x max. 150W HIT-CE / G12	612x158	640x186	150	White, Titan, Black		+ Control Gear Selection HIT
86093	T654 SP 4x max. 150W HIT-CE / G12	612x158	640x186	150	White, Titan, Black		+ Control Gear Selection HIT
86094	T655 4x max. 70W HI-PAR111 / GX8.5	534x140	564x168	120	White, Titan, Black		+ Control Gear Selection HIT
86095	T656 2x max. 100W QR111+2x max. 70W HI-PAR30	534x140	564x168	150	White, Titan, Black		+ Control Gear Selection + Transf. 12V
86096	T657 2x max. 100W PAR30+2x max. 70W HI-PAR30	534x140	564x168	150	White, Titan, Black		+ Control Gear Selection + Transf. 12V
86098	T659 2x max. 100W QR111+2x max. 150W HIT-CE	612x158	640x186	150	White, Titan, Black		+ Control Gear Selection + Transf. 12V
86089	T650 4x max. 100W QR111 / G53	534x140	564x168	85	Chrome, matt Alum., Gold		+ Transformer 12V Selection
86090	T651 4x max. 100W PAR30 / E27	534x140	564x168	120	Chrome, matt Alum., Gold		
86091	T652 4x max. 70W HI-PAR30 / E27	534x140	564x168	150	Chrome, matt Alum., Gold		+ Control Gear Selection HIT
86092	T653 FL 4x max. 150W HIT-CE / G12	612x158	640x186	150	Chrome, matt Alum., Gold		+ Control Gear Selection HIT
86093	T654 SP 4x max. 150W HIT-CE / G12	612x158	640x186	150	Chrome, matt Alum., Gold		+ Control Gear Selection HIT
86094	T655 4x max. 70W HI-PAR111 / GX8.5	534x140	564x168	120	Chrome, matt Alum., Gold		+ Control Gear Selection HIT
86095	T656 2x max. 100W QR111+2x max. 70W HI-PAR30	534x140	564x168	150	Chrome, matt Alum., Gold		+ Control Gear Selection + Transf. 12V
86096	T657 2x max. 100W PAR30+2x max. 70W HI-PAR30	534x140	564x168	150	Chrome, matt Alum., Gold		+ Control Gear Selection + Transf. 12V
86098	T659 2x max. 100W QR111+2x max. 150W HIT-CE	612x158	640x186	150	Chrome, matt Alum., Gold		+ Control Gear Selection + Transf. 12V



Colour Codes:

- 1 White 2 Titan 3 Black 4 Chrome 5 matt Alum. 6 Gold 7 matt Gold 8 Bronze 9 Anodized